

School Nurse Academy



Triggers: pollen, dust mites, dog dander, (for example) *Triggers differ for everyone

	-,	reveryone
You are feeling well!	Do these things EVE	ERYDAY
Inhaled Medication Fluticasone (Flovent) HFA 110mcg Other Instructions: Rinse mouth with water a thrush.	How much to take 2 Puffs after taking your controlle	When to take it Two Times a Day r medicine to prevent oral
You have Symptoms! Zone)	ADD RESCUE Medi	cation (Continue Green
Inhaled Medication Albuterol HFA 90mcg Other Instructions: Give rescue medication ebetter. If rescue medication is ne provider.	eeded more then 2 days,	CALL your health care
Danger!	Get Help Now!	
Inhaled Medication Albuterol HFA 90mcg Other Instructions:	How much to take 4 Puffs	When to take it Every 20 minutes for up to 3 doses
	Inhaled Medication Fluticasone (Flovent) HFA 110mcg Other Instructions: Rinse mouth with water a thrush. You have Symptoms! Zone) Inhaled Medication Albuterol HFA 90mcg Other Instructions: Give rescue medication is ne provider. If your child's symptoms a Zone. Danger! Inhaled Medication Albuterol HFA 90mcg	Inhaled Medication How much to take Fluticasone (Flovent) 2 Puffs HFA 110mcg Other Instructions: Rinse mouth with water after taking your controlle thrush. You have Symptoms! ADD RESCUE Medizone) Inhaled Medication How much to take Albuterol HFA 90mcg 4 Puffs Other Instructions: Give rescue medication every 4 hours for 1 to 2 dibetter. If rescue medication is needed more then 2 days, provider. If your child's symptoms are NOT BETTER or GE Zone. Danger! Get Help Now! Inhaled Medication How much to take Albuterol HFA 90mcg 4 Puffs

Triggers: pollen, dust mites, dog dander

	You are feeling well!	Do these things EVE	RYDAY
You have all of these:	Inhaled Medication	How much to take	When to take it
 Breathing is good 	Fluticasone (Flovent)	2 Puffs	Two Times a Day
 No cough or wheeze Can work/play 	HFA 110mcg		•
Sleeps all night	Other Instructions: Rinse mouth with water: thrush	after taking your controller	r medicine to prevent oral

- Triggers should be listed somewhere on the patient's plan. Generally at the top of the page
- This is the zone we want students to live in everyday; where they are at baseline and symptom free
- Controller medications for daily use are listed in the green zone
- A reminder to rinse mouth after controller medication will be listed here
- This may be where pre-treating with albuterol before exercise is written

Triggers: pollen, dust mites, dog dander

Green Zone	You are feeling well!	Do these things EVE	ERYDAY	
You have all of these:	Inhaled Medication	How much to take	When to take it	
 Breathing is good 	Fluticasone (Flovent)	2 Puffs	Two Times a Day	
 No cough or wheeze Can work/play 	HFA 110mcg			
 Sleeps all night 	Other Instructions:			
		after taking your controlle	r medicine to prevent oral	
	thrush.			
	V	ADD DESCUE M. J.		
Yellow Zone	You have Symptoms! Zone)	ADD RESCUE Medi	cation (Continue Green	
You have any of these:	Inhaled Medication	How much to take	When to take it	
CoughWheeze	Albuterol HFA 90mcg	4 Puffs	Every 4 hours as needed	
 Tight chest 	Other Instructions:			
 Coughing at night 		every 4 hours for 1 to 2 d	ays if symptoms are getting	
	better.			
If rescue medication is needed more then 2 days, CALL your health ca				
provider.			•	
	If your child's symptoms are NOT BETTER or GET WORSE, go to the RED			

Early symptom recognition is key to avoiding an emergency room or inpatient encounter

Zone.

- Treat early and aggressively with short acting bronchodilator (SABA)
- The provider has the discretion to order the number of puffs for each zone
- Arkansas Children's providers suggest 4 puffs in the yellow zone

Triggers: pollen, dust mites, dog dander

Green Zone

You have all of these:

- Breathing is good
- No cough or wheeze
- Can work/play
- Sleeps all night

You are feeling well!

Inhaled Medication Fluticasone (Flovent) HFA 110mcg

How much to take 2 Puffs

Do these things EVERYDAY

When to take it Two Times a Day

Other Instructions:

Rinse mouth with water after taking your controller medicine to prevent oral thrush.

- Patient is showing signs of distressed breathing
- This is an emergency, Don't delay treatment
- Look closely at the patient, remain calm
- Arkansas Children's uses weight based guidelines for the Red Zone:
 - < 20kg= 4 puffs albuterol; >20kg=6 puffs albuterol

Red Zone	Danger!	Get Help Now!	
You have any of these:	Inhaled Medication	How much to take	When to take it
 Medicine is not helping Breathing is hard and fast Nose opens wide 	Albuterol HFA 90mcg	4 Puffs	Every 20 minutes for up to 3 doses
Can't walk or talk well Ribs show	Other Instructions:	ETTER call 911 or GO TO	THE EMERGENCY ROOM!



Asthma Flare-up Simulation

School Nurse Academy






Patient Assessment

Asthma Severity	Normal	Mild	Moderate	Severe
Resp. Rate 2-3 years 4-5 years 6-12 years >12 years	18-26 16-24 14-20 12-18	27-34 25-30 21-26 19-23	35-39 31-35 27-30 24-27	≥ 40 ≥ 36 ≥ 31 ≥ 28
Auscultation	Normal Breath Sounds with good aeration throughout	End expiratory wheezing only	Expiratory Wheezing	Inspiratory and Expiratory Wheezing to diminished breath sounds
Retractions (None	Intercostal	Intercostal & Subcostal	Intercostal substernal and supraclavicular
Dyspnea	Speaks in complete sentences	Speaks in short sentences	Speaks in partial sentences, short cry	Speaks in single words. Short phrases/grunting

Asthma Treatment








Let's give Jessica her 1st treatment

Patient Assessment

Asthma Severity	Normal	Mild	Moderate	Severe
Resp. Rate 2-3 years 4-5 years 6-12 years >12 years	18-26 16-24 14-20 12-18	27-34 25-30 21-26 19-23	35-39 31-35 27-30 24-27	≥ 40 ≥ 36 ≥ 31 ≥ 28
Auscultation	Normal Breath Sounds with good aeration throughout	End expiratory wheezing only	Expiratory Wheezing	Inspiratory and Expiratory Wheezing to diminished breath sounds
Retractions	None	Intercostal	Intercostal & Subcostal	Intercostal substernal and supraclavicular
Dyspnea	Speaks in complete sentences	Speaks in short sentences	Speaks in partial sentences, short cry	Speaks in single words. Short phrases/grunting

Asthma Treatment







Let's give Jessica her 2nd treatment

Patient Assessment

Asthma Severity	Normal	Mild	Moderate	Severe
Resp. Rate 2-3 years 4-5 years 6-12 years >12 years	18-26 16-24 14-20 12-18	27-34 25-30 21-26 19-23	35-39 31-35 27-30 24-27	≥ 40 ≥ 36 ≥ 31 ≥ 28
Auscultation	Normal Breath Sounds with good aeration throughout	End expiratory wheezing only	Expiratory Wheezing	Inspiratory and Expiratory Wheezing to diminished breath sounds
Retractions	None	Intercostal	Intercostal & Subcostal	Intercostal substernal and supraclavicular
Dyspnea	Speaks in complete sentences	Speaks in short sentences	Speaks in partial sentences, short cry	Speaks in single words. Short phrases/grunting

Asthma Treatment





